

# TEAL COBBLESTONE PUMPKINS

Designer: Elizabeth  
Carey



SHARE



## INSTRUCTIONS

### Hammered Pumpkin #1:

1. Begin with properly fired cone 04 bisque. Moisten a sponge and wipe bisque to remove any dust.
2. Using the Soft Fan with FN-001 White, apply 3 coats to the entire pumpkin. Allow glaze to dry between coats.
3. Using the Soft Fan with SG-202 White Cobblestone, apply 3 coats to the body of the pumpkin (not the stem). Allow glaze to lose its shine before applying the second and third coats, but do not wait until it is dry enough to crack.
4. Using the Soft Fan with FN-042 Teal Blue, apply 1 coat to the body of the pumpkin (not the stem). Do this after the final coat from step #3 loses its shine, but do not wait until it is dry enough to crack.

## SUPPLIES

### Form

- MB-1568  
Round  
Hammered  
Pumpkin
- MB-1043  
Squatty  
Pumpkin

### Colors

- FN-001 White
- FN-042 Teal  
Blue
- SG-202 White  
Cobblestone



5. Stilt and fire to cone 06.

### **Hammered Pumpkin #2:**

1. Begin with properly fired cone 04 bisque. Moisten a sponge and wipe bisque to remove any dust.
2. Using the Soft Fan with FN-001 White, apply 3 coats to the body of the pumpkin (not the stem). Allow glaze to dry between coats.
3. Using the Soft Fan with FN-042 Teal Blue, apply 3 coats to the stem. Allow glaze to dry between coats.
4. Using the Soft Fan with SG-202 White Cobblestone, apply 3 coats to the body of the pumpkin (not the stem). Allow glaze to lose its shine before applying the second and third coats, but do not wait until it is dry enough to crack.
5. Pour out around 1 TBS of FN-001 White and FN-042 Teal Blue onto the palette. Using the Soft Fan with FN-001 White, apply 1 coat to the top half of the pumpkin (not the stem). Dip the same brush into FN-042 Teal Blue and blend down to the bottom of the pumpkin. Do this after the final coat from step #4 loses its shine, but do not wait until it is dry enough to crack.

6. Stilt and fire to cone 06.

### **Squatty Pumpkin #1**

1. Begin with properly fired cone 04 bisque. Moisten a sponge and wipe bisque to remove any dust.
2. Using the Soft Fan with FN-001 White, apply 3 coats to the stem. Allow glaze to dry between coats.
3. Using the Soft Fan with FN-042 Teal Blue, apply 3 coats to the body (not the stem). Allow glaze to dry between coats.
4. Using the Soft Fan with SG-202 White Cobblestone, apply 3 coats to the body of the pumpkin (not the stem). Allow glaze to lose its shine before applying the second and third coats, but do not wait until it is dry enough to crack.
5. Stilt and fire to cone 06.

### **Squatty Pumpkin #2**

1. Begin with properly fired cone 04 bisque. Moisten a sponge and wipe bisque to remove any dust.

#### **Decorating Accessories**

- RB-144 #4 Soft Fan

#### **Miscellaneous Accessories**

- Sponge
- Water
- Palette



2. Pour out around 2 TBS of FN-001 White and FN-042 Teal Blue onto the palette. Using the Soft Fan with FN-001 White, apply 1 coat to the top half of the pumpkin (not the stem). Dip the same brush into FN-042 Teal Blue and blend down to the bottom of the pumpkin. Repeat for a total of 3 coats.
3. Using the Soft Fan with FN-042 Teal Blue, apply 3 coats to Stem. Allow glaze to dry between coats.
4. Using the Soft Fan with SG-202 White Cobblestone, apply 3 coats to the body of the pumpkin (not the stem). Allow glaze to lose its shine before applying the second and third coats, but do not wait until it is dry enough to crack.
5. Stilt and fire to cone 06.

## SIMILAR PROJECTS



[BACK TO LOW-FIRE PROJECTS](#)



### CONTACT

[ONLINE INQUIRIES](#)

**Technical:**

Phone: [\(614\) 675-2031](tel:(614)675-2031)  
[technical@maycocolors.com](mailto:technical@maycocolors.com)

### WHERE TO BUY

[DISTRIBUTORS](#)

[VIEW PRODUCTS](#)

### QUICK LINKS

[Safety Data Sheets \(SDS\)](#)

[Contact](#)

[About Us](#)

[Distributor Login](#)

[Careers](#)

[Events](#)



**General:**  
[info@maycocolors.com](mailto:info@maycocolors.com)

Mayco products are only sold through a worldwide network of distributors.

